

**SA 3.00X10.00X1000 CUZN35PB2 BK****Weidmüller Interfaces GmbH & Co. KG**

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com

**Product image**

Brass bus bars, as a copper alloy, has positive properties in terms of electrical conductivity and at the same time has a higher strength than copper against mechanical stress.

**General ordering data**

Version	Accessories, Busbar, Brass
Order No.	<a href="#">0259800000</a>
Type	SA 3.00X10.00X1000 CUZN35PB2 BK
GTIN (EAN)	4008190049300
Qty.	1 m
Delivery status	<b>This article will no longer be available in the future.</b>
Available until	2023-07-31
Alternative product	<a href="#">0348900000</a>

## SA 3.00X10.00X1000 CUZN35PB2 BK

Weidmüller Interfaces GmbH &amp; Co. KG

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com

## Technical data

## Dimensions and weights

Depth	3 mm	Depth (inches)	0.118 inch
Height	1,000 mm	Height (inches)	39.37 inch
Width	10 mm	Width (inches)	0.394 inch
Net weight	250 g		

## Material data

Material	Brass	Surface finish	untreated
Colour	silver		

## Additional technical data

Installation advice	Direct mounting
---------------------	-----------------

## General

Installation advice	Direct mounting	Surface finish	untreated
---------------------	-----------------	----------------	-----------

## Rating data

Rated current	100 A
---------------	-------

## Classifications

ETIM 6.0	EC002848	ETIM 7.0	EC002848
ETIM 8.0	EC002848	ECLASS 9.0	27-14-11-92
ECLASS 9.1	27-14-11-92	ECLASS 10.0	27-14-11-92
ECLASS 11.0	27-14-11-92	ECLASS 12.0	27-14-11-92

## Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
SCIP	8801250f-3b07-47af-ae9-0cb397abf20b

## Approvals

Approvals



ROHS	Conform
------	---------

## Downloads

Approval/Certificate/Document of Conformity	<a href="#">EAC certificate</a>
User Documentation	<a href="#">StorageConditionsTerminalBlocks</a>
Catalogues	<a href="#">Catalogues in PDF-format</a>
Brochures	