

IE-PH-V01P

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



Bayonet plug-in connectors according to IEC
61076-3-106 ver.1 (EtherNet/IP), plastic, empty housing

General ordering data

| | |
|------------|-------------------------------------|
| Version | Empty enclosure, Plug housing, IP67 |
| Order No. | 1012440000 |
| Type | IE-PH-V01P |
| GTIN (EAN) | 4032248720095 |
| Qty. | 10 pc(s). |

Creation date March 2, 2023 9:52:06 AM CET

Catalogue status 18.02.2023 / We reserve the right to make technical changes.

IE-PH-V01P

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|------------|---------|-----------------|------------|
| Depth | 77.5 mm | Depth (inches) | 3.051 inch |
| Height | 30 mm | Height (inches) | 1.181 inch |
| Width | 30 mm | Width (inches) | 1.181 inch |
| Net weight | 2.4 g | | |

Temperatures

| | | | |
|-----------------------------|----------------|-----------------------------|--------|
| Operating temperature | -40 °C...70 °C | Operating temperature, min. | -40 °C |
| Operating temperature, max. | 70 °C | | |

General data

| | | | |
|-----------------------|---------------|-----------------|--|
| Colour | | Configuration | Plug housing with labelling/marketing holder: 9*11 mm; suitable for holding RJ45 and fibre-optic inserts |
| | Miscellaneous | | |
| Housing main material | PA UL 94 V0 | Plugging cycles | 750 |
| Protection degree | IP67 | | |

General standards

| | |
|--------------------|------------------------|
| Connector standard | IEC 61076-3-106 Var. 1 |
|--------------------|------------------------|

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC001031 | ETIM 7.0 | EC001031 |
| ETIM 8.0 | EC001031 | ECLASS 9.0 | 27-18-27-02 |
| ECLASS 9.1 | 27-18-27-02 | ECLASS 10.0 | 27-18-27-02 |
| ECLASS 11.0 | 27-18-27-02 | ECLASS 12.0 | 27-18-27-02 |

Environmental Product Compliance

| | |
|------------|---|
| REACH SVHC | 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol 119-47-1 |
| SCIP | 11b17e97-f803-4c09-9278-b20f22f15f81 |

Approvals

Approvals



ROHS

Conform

IE-PH-V01P**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Technical data****Downloads**

| | |
|---|---|
| Approval/Certificate/Document of Conformity | DUXR.E316369 |
| Engineering Data | CAD data – STEP |
| Engineering Data | WSCAD |
| Product Change Notification | 20210412 Technical change for cap nut V1 and V4 20210412 Technische Änderung zu Hutmutter V1 und V4 |
| User Documentation | MAN IE GUIDE DE MAN IE GUIDE EN Designation key / Type key |
| Catalogues | Catalogues in PDF-format |
| Brochures | MB FREECONCONTACT EN FL FIELDWIRING EN PI PROFINET CABLING EN PI PROFINET CABLING EN |

Data sheet

IE-PH-V01P

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

Dimensioned drawing

