

WQB PEN 35N**Weidmüller Interfaces GmbH & Co. KG**

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com

Product image**Power feed-in**

Our wide range of W-Series terminal blocks with our WPD main line branch terminals, which are optimised to guarantee both convenience and space gains, ensures a secure and convenient connection at the power feed-in.

General ordering data

Version	W-Series, Cross-connector, Cross-connector, Number of poles: 2
Order No.	107950000
Type	WQB PEN 35N
GTIN (EAN)	4008190370121
Qty.	10 pc(s).

WQB PEN 35N

Weidmüller Interfaces GmbH & Co. KG

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com

Technical data

Dimensions and weights

Depth	2 mm	Depth (inches)	0.079 inch
Height	25.9 mm	Height (inches)	1.02 inch
Width	24.6 mm	Width (inches)	0.969 inch
Net weight	11.9 g		

Temperatures

Storage temperature -25 °C...55 °C

Material data

Material tinned copper Colour Silver grey

System specifications

Version Cross-connector

Additional technical data

Explosion-tested version No Type of fixing when screwed in
Type of mounting when screwed in

Cross-connector

Rated current, multi-pole 125 A Type Cross-connector

Dimensions

Pitch in mm (P) 16 mm

General

Number of poles 2

Rating data

Rated current 125 A

Classifications

ETIM 6.0	EC000489	ETIM 7.0	EC000489
ETIM 8.0	EC000489	ECLASS 9.0	27-14-11-40
ECLASS 9.1	27-14-11-40	ECLASS 10.0	27-14-11-40
ECLASS 11.0	27-14-11-40	ECLASS 12.0	27-14-11-40

Approvals

ROHS Conform

WQB PEN 35N**Weidmüller Interfaces GmbH & Co. KG**

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.comwww.weidmueller.com**Technical data****Downloads**

Engineering Data	CAD data – STEP
Engineering Data	WSCAD, Zuken E3.S
User Documentation	StorageConditionsTerminalBlocks
Catalogues	Catalogues in PDF-format
Brochures	