

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com





The new RockStar® enclosures are resistant to seawater and offer a high degree of shock resistance, meet IP 68 and IP 69K, and have been developed for use under extreme environmental conditions and designed for the high vibration requirements acc. to DIN EN 61373 cat. 2 (bogie). As such, this housing family is ideally suited for fault- and maintenance-free operation of heavy-duty connectors in transport and traffic engineering as well as in power engineering and in applications with extreme requirements. During development, measures were also implemented to make the enclosures extremely EMCresistant.

General ordering data

Version HDC enclosures, Size: 6, Protection degree: IP66 (in plugged condition), IP68 (in plugged condition), Bulkhead housing, Clamping yoke connection, Standard Order No. 1081530000 Type HDC IP68 16B AS GTIN (EAN) 4032248843992		
Type HDC IP68 16B AS GTIN (EAN) 4032248843992	Version	IP66 (in plugged condition), IP68 (in plugged condition), Bulkhead housing, Clamping yoke
GTIN (EAN) 4032248843992	Order No.	<u>1081530000</u>
	Туре	HDC IP68 16B AS
	GTIN (EAN)	4032248843992
Qty. 1 pc(s).	Qty.	1 pc(s).

Creation date March 7, 2023 3:32:06 PM CET

Catalogue status 03.03.2023 / We reserve the right to make technical changes.

Technical data



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Dimensions and weights			
Depth	164 mm	Depth (inches)	6.457 inch
Height	29.5 mm	Height (inches)	1.161 inch
Nidth	58 mm	Width (inches)	2.283 inch
Mounting dimension - height	32 mm	Mounting dimension - width	103 mm
Net weight	180 g		
Temperatures			
Limit temperature	-50 °C 125 °C		
Dimensions			
Height of housing B	21 mm	Hole pitch length A2	103 mm
Total length housing	164 mm		
General data			
EMC housings	Yes	Housing main material	diecast aluminium
Protection degree	IP66 (in plugged condition), IP68 (in plugged condition)	Surface finish	Powder coating
Version			· · · · · · · · · · · · · · · · · · ·
BG	6	Clamp version	Clamping yoke connectior
Colour (RAL)	RAL 9011, RAL 9005	Design	Standard
Design of housing	Bulkhead housing	Design of locking system	Clamping yoke connection
	Silicone	Size Top part/bottom part/lid	6
Suitable for ModuPlug [®] Type	Yes Bulkhead (feed-through)		lower part
Classifications	Dannoad (roba throagh)		
Glassifications			
ETIM 6.0	EC000437	ETIM 7.0	EC000437
ETIM 8.0	EC000437	ECLASS 9.0	27-44-02-02
ECLASS 9.1	27-44-02-02	ECLASS 10.0	27-44-02-02
ECLASS 11.0	27-44-02-02	ECLASS 12.0	27-44-02-02
Substance		Acetone	
Chemical resistance		Resistant	
Substance		Diesel oil	
Chemical resistance		Unstable	
Substance		Ethyl alcohol	
Chemical resistance		Resistant	
Substance		Transmission oil	
Chemical resistance		Conditionally resistant	
Substance		Hydraulic oil	
Chemical resistance		Conditionally resistant	
Substance		Petroleum benzine	
Chemical resistance		Unstable	

Creation date March 7, 2023 3:32:06 PM CET

Catalogue status 03.03.2023 / We reserve the right to make technical changes.



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Substance	Sweat	
Chemical resistance	Conditionally resistant	
Substance	Premium gasoline	
Chemical resistance	Unstable	
Substance	Water	
Chemical resistance	Resistant	
Substance	UV	
Chemical resistance	Resistant	
Substance	Ozone	
Chemical resistance	Resistant	

Important note

Product information

When mounting the housings, make sure that the flat gasket is correctly seated.

Approvals

Approvals



ROHS	Conform
Downloads	
Approval /Cartificate /Decument of	
Approval/Certificate/Document of Conformity	Manufacturer's declaration
Engineering Data	CAD data – STEP
Product Change Notification	20220214 Technical change to HDC housings 20220214 Technische Änderung bei HDC-Gehäusen
Catalogues	Catalogues in PDF-format
Brochures	FL FIELDWIRING EN FL FIELDWIRING EN



Weidmüller Interface GmbH & Co. KG Klingenbergstraße 26 D-32758 Detmold

Germany

www.weidmueller.com

Drawings





Creation date March 7, 2023 3:32:06 PM CET

Catalogue status 03.03.2023 / We reserve the right to make technical changes.