

KSW 4 16/5,08 1-16**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



Similar to illustration

KSW marking strips are used to identify multi-pole PCB plug-in connectors. Users can print them individually without being confined to a certain pitch.

- Smudge-proof labelling
- Strips 2.5 mm and 4 mm wide
- Simply stick on - finished
- Optimum adhesion
- PVC-free

General ordering data

Version	KSW, Terminal marker, 4 x 81.3 mm, Pitch in mm (P): 5.08 Weidmueller, white
Order No.	1630160001
Type	KSW 4 16/5,08 1-16
GTIN (EAN)	4015082241216
Qty.	10 pc(s).

Creation date February 15, 2023 5:29:51 PM CET

Catalogue status 03.02.2023 / We reserve the right to make technical changes.

KSW 4 16/5,08 1-16

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Height	4 mm	Height (inches)	0.157 inch
Width	81.3 mm	Width (inches)	3.201 inch
Net weight	1.4 g		

Temperatures

Operating temperature range	150 °C
-----------------------------	--------

General data

Adhesive	Acrylate	Application/manufacturer	Weidmueller
Colour	white	Colour of printing	black
Material	Polyester, PVC-free	Material colour according to resistance code	9
Number of markers per combination	1 Label reel = Terminal marker	Number per sheet	20
Operating temperature range	150 °C	Operating temperature range, max.	150 °C
Orientation of print	horizontal	Printed characters	Numbers
Printing	1 - 16	Printing method	Thermal transfer
Type of printing	Standard	Version	Self-adhesive
Width	81.3 mm		

Classifications

ETIM 6.0	EC000761	ETIM 7.0	EC000761
ETIM 8.0	EC000761	ECLASS 9.0	27-14-11-37
ECLASS 9.1	27-14-11-37	ECLASS 10.0	27-14-11-37
ECLASS 11.0	27-28-11-01	ECLASS 12.0	27-28-11-01

Approvals

ROHS	Conform
------	---------

Downloads

Engineering Data	WSCAD
Catalogues	Catalogues in PDF-format
Brochures	