

**WQL 2 WF6****Weidmüller Interfaces GmbH & Co. KG**

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com

**Product image**

Screwable cross-connections are easy to mount and de mount. Thanks to the big contact surface, even high currents can be transmitted with maximum contact reliability.

**General ordering data**

Version	Bolt-type screw terminals, Cross-connector, Number of poles: 2
Order No.	<a href="#">1780970000</a>
Type	WQL 2 WF6
GTIN (EAN)	4032248219407
Qty.	5 pc(s).

**WQL 2 WF6**

**Weidmüller Interfaces GmbH & Co. KG**

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com

**Technical data**

**Dimensions and weights**

Depth	4 mm	Depth (inches)	0.157 inch
Height	31.8 mm	Height (inches)	1.252 inch
Width	15 mm	Width (inches)	0.591 inch
Net weight	14.42 g		

**Temperatures**

Storage temperature -25 °C...55 °C

**Material data**

Material	Copper - zinc	Colour	grey
----------	---------------	--------	------

**Additional technical data**

Explosion-tested version	No	Type of fixing	when screwed in
--------------------------	----	----------------	-----------------

**Cross-connector**

Number of cross-connected terminals	2	Rated current, 2-pole	125 A
Rated current, multi-pole	125 A	Type	Cross-connector

**Dimensions**

Pitch in mm (P) 18 mm

**General**

Number of poles 2

**Rating data**

Rated current 125 A

**Classifications**

ETIM 6.0	EC000489	ETIM 7.0	EC000489
ETIM 8.0	EC000489	ECLASS 9.0	27-14-11-40
ECLASS 9.1	27-14-11-40	ECLASS 10.0	27-14-11-40
ECLASS 11.0	27-14-11-40	ECLASS 12.0	27-14-11-40

**Approvals**

Approvals



ROHS Conform

**WQL 2 WF6****Weidmüller Interfaces GmbH & Co. KG**

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

[info@weidmueller.com](mailto:info@weidmueller.com)[www.weidmueller.com](http://www.weidmueller.com)**Technical data****Downloads**Approval/Certificate/Document of  
Conformity[EAC certificate](#)

Engineering Data

[CAD data – STEP](#)

Engineering Data

[WSCAD](#)

User Documentation

[StorageConditionsTerminalBlocks](#)

Catalogues

[Catalogues in PDF-format](#)

Brochures