

**THSW 0°+60°C NO/NC****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



Filter fans and cabinet heaters are ideally complemented by thermostats and hygrostats. Filter fans and heaters only work when cooling or heating is actually necessary. Because of the demand-oriented thermostats and hygrostats increase the energy efficiency and save costs.

Twin Thermostat: Space-saving combination for simultaneous switching of two devices in different temperature ranges.

**General ordering data**

Version	Temperature switch, grey white
Order No.	<a href="#">2558250000</a>
Type	THSW 0°+60°C NO/NC
GTIN (EAN)	4050118568905
Qty.	1 Stück

Erstellungs-Datum June 1, 2023 9:34:05 AM CEST

Katalogstand 26.05.2023 / Technische Änderungen vorbehalten

## THSW 0°+60°C NO/NC

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Technische Daten

### Dimensions and weights

Depth	38 mm	Depth (inches)	1.496 inch
Height	80.5 mm	Height (inches)	3.169 inch
Width	59 mm	Width (inches)	2.323 inch
Net weight	100 g		

### Temperatures

Operating temperature range	-20...80 °C
-----------------------------	-------------

### General data

Contact design	1 NC contact, 1 NO contacts	Operating temperature range	-20...80 °C
Switching current, NC contact	10 A	Switching current, NC contact, inductive load cos φ = 0.6	2 A
Switching current, NO contact	10 A	Switching current, NO contact, inductive load cos φ = 0.6	2 A
Switching difference	<7 K	Switching tolerance	±4 K
Switching voltage	250 V AC / 30 V DC	Temperature setting range, max.	60 °C
Temperature setting range, min.	0.01 °C	Type of connection	Screw connection
Type of mounting	Rail		

### Classifications

ETIM 6.0	EC002014	ETIM 7.0	EC002014
ETIM 8.0	EC004587	ECLASS 9.1	27-21-07-07
ECLASS 10.0	27-21-07-07	ECLASS 11.0	27-21-07-07
ECLASS 12.0	27-21-07-07		

### Approvals

Approvals



ROHS Conform

### Downloads

Approval/Certificate/Document of Conformity	<a href="#">EU Declaration of Conformity</a>
Engineering Data	<a href="#">CAD data – STEP</a>
User Documentation	<a href="#">Operating instructions</a>
Catalogues	<a href="#">Catalogues in PDF-format</a>