

AAM 1.5 YE FLASH**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Product image**

Warning covers with a flash symbol provide more safety for man and machine. They are used where external voltage must be indicated within the application.

General ordering data

| | |
|------------|--|
| Version | Terminal marker, 6.2 x 3.5 mm, Pitch in mm (P): 3.50 yellow |
| Order No. | 2635520000 |
| Type | AAM 1.5 YE FLASH |
| GTIN (EAN) | 4050118674088 |
| Qty. | 40 Stück |

Erstellungs-Datum June 2, 2023 2:30:25 PM CEST

Katalogstand 26.05.2023 / Technische Änderungen vorbehalten

AAM 1.5 YE FLASH

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technische Daten

Dimensions and weights

| | | | |
|------------|--------|-----------------|------------|
| Depth | 4.8 mm | Depth (inches) | 0.189 inch |
| Height | 6.2 mm | Height (inches) | 0.244 inch |
| Width | 3.5 mm | Width (inches) | 0.138 inch |
| Net weight | 0.05 g | | |

Temperatures

| | |
|-----------------------------|--------------|
| Operating temperature range | -40...100 °C |
|-----------------------------|--------------|

Material data

| | | | |
|---------------------------|--------|--------|--------|
| Material | PA 6.6 | Colour | yellow |
| UL 94 flammability rating | V-2 | | |

Rating data IECEx/ATEX

| | |
|-----------------------------|--------------|
| Operating temperature range | -40...100 °C |
|-----------------------------|--------------|

Dimensions

| | |
|-----------------|--------|
| Pitch in mm (P) | 3.5 mm |
|-----------------|--------|

General

| | | | |
|-----------------------------------|--------|-----------------------------------|--------|
| Operating temperature range, max. | 100 °C | Operating temperature range, min. | -40 °C |
|-----------------------------------|--------|-----------------------------------|--------|

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC000761 | ETIM 7.0 | EC000761 |
| ETIM 8.0 | EC000761 | ECLASS 9.0 | 27-14-11-37 |
| ECLASS 9.1 | 27-14-11-37 | ECLASS 10.0 | 27-14-11-37 |
| ECLASS 11.0 | 27-28-11-01 | ECLASS 12.0 | 27-28-11-01 |

Downloads

| | |
|------------------|--|
| Engineering Data | CAD data – STEP |
| Catalogues | Catalogues in PDF-format |