

VT CTB**Weidmüller Interfaces GmbH & Co. KG**

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com



The main function of the voltage tester is to establish if voltage is present. A 2-pole voltage tester is the only approved testing instrument that fulfils the requirements of work protection regulations.

- with LED-Display
- acc. to VDE standard
- high peak voltage strength
- the right tester for every application

General ordering data

Version	Testing tools, 2-pole voltage tester
Order No.	9918970000
Type	VT CTB
GTIN (EAN)	4032248405855
Qty.	1 pc(s).

VT CTB

Weidmüller Interfaces GmbH & Co. KG

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com

Technical data

Dimensions and weights

Depth	19 mm	Depth (inches)	0.748 inch
Height	21 mm	Height (inches)	0.827 inch
Width	137 mm	Width (inches)	5.394 inch
Net weight	50 g		

Technical data

Description of article Voltage tester up to 48 V

Measuring and testing devices

AC voltage measuring range	3-48 V	Continuity test	No
DC voltage measuring range	48 V	Display	LED
Frequency range, max.	65 Hz	Frequency range, min.	0 Hz
Load switchable	No	Phase sequence display	No
Protection degree	IP40	Rated voltage, max.	48 V DC
Rated voltage, min.	3 V DC	Tested and approved according to	EN 61010-1, EN 61326
Working temperature, max.	50 °C	Working temperature, min.	-10 °C

Classifications

ETIM 6.0	EC000494	ETIM 7.0	EC000494
ETIM 8.0	EC000494	ECLASS 9.0	27-20-03-08
ECLASS 9.1	27-20-03-08	ECLASS 10.0	27-20-03-08
ECLASS 11.0	27-20-03-08	ECLASS 12.0	27-20-03-08

Environmental Product Compliance

REACH SVHC Lead 7439-92-1
 SCIP b05b5122-6117-4cb0-b28c-df32f921fa36

Approvals

Approvals



ROHS Conform

Downloads

User Documentation [Manual](#)
 Catalogues [Catalogues in PDF-format](#)
 Brochures

VT CTB

Weidmüller Interfaces GmbH & Co. KG

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com

Drawings

