




A Dimension Configurable Plates - Aluminum

EN AW-5052 Equiv. (Al-Mg Aluminum Alloy)





A Dimension Configurable Plates - Aluminum, High Precision

EN AW-5052 Equiv. (Al-Mg Aluminum Alloy, Precision Rolled Products)



Part Number - A - B - T
ALN - 310 - 160 - 15

(Ex.) For ALN-350-200-10
A Dimension x Area Unit Price = Price



Part Number - A - B - T
ALA - 430 - 100 - 15

(Ex.) For ALA-320-100-12
A Dimension x Area Unit Price = Price

Part Number	A: 1mm Increment	B: 1mm Increment	Unit Price					
			T5, 6	T8, 10	T12, 15	T20	T25	T30
ALNS (Configurable Size)	25~50	25~50						
	51~75	25~50						
		51~75						
	76~100	25~50						
		51~75						
	76~100							

Part Number	A: 1mm Increment	B	T	Unit Price											
				5	6	8	10	12	15	20	25	30	35	40	
ALN (Configurable Size)	100~200	100	100												
	201~300														
	301~500														
	101~250	125	125												
	251~500														
	126~300	150	150												
	301~500														
	151~300			160	160										
	301~500														
	161~500	200	200												
201~500															
251~500	300			300											
501~800		125	125												
501~800					150	150									
501~800	160			160											
501~800		200	200												
501~800					250	250									
501~800	300			300											
501~800		350	350												
501~800					400	400									
501~800	450			450											
501~800		500	500												
501~800					600	600									
501~800	800			800											

Alterations Part Number - A - B - T - (BC, CCA...etc.)
ALN - 315 - 200 - 20 - BC176

Alterations	Code	Spec.
Width (B Dimension)	BC	Cuts B dimension. BC=1mm Increment Ordering Code BC195 ALN 26≤BC≤B-1 ALNT 126≤BC≤B-1 Applicable to ALN and ALNT only.
Corner Cut	CCA CCB CCC CCD	Cuts any corners. 1≤ Corner Cut ≤10 1mm Increment Ordering Code (Ex.)When the corners of A and D are cut by C5, ...CCA5-CCD5

- Precision Standards**
- Flatness 1.5 or Less per 1000mm
 - T Dimension Tolerance

5	6	8	10	12, 15	20	25	30, 35	40
±0.35	±0.45	±0.5	±0.6	±0.7	±0.8	±0.9	±1.0	±1.1
 - A, B Dimension Tolerance

25~100	101~250	251~1000	1001~
±0.2	±0.25	±0.4	±1.0
 - Perpendicularity of Datum Plane 0.015 or Less per 100mm
 - Circumference Chamfering C0.3 or Less

Part Number	A: 1mm Increment	B	T	5	6	8	10	12	15	20	25	30	
				ALA (Configurable Size)	100~200	100	100						
201~300													
301~500													
101~250	125	125											
251~500													
126~300	150	150											
301~500													
151~300			160		160								
301~500													
161~500	200	200											
201~500													
251~500			300	300									
501~800	125	125											
501~800					150	150							
501~800			160	160									
501~800	200	200											
501~800					250	250							
501~800			300	300									
501~800	350	350											
501~800					400	400							
501~800			450	450									
501~800	500	500											
501~800					600	600							
501~800			800	800									

Alterations Part Number - A - B - T - (BC, CCA...etc.)
ALA - 430 - 300 - 15 - BC270

Alterations	Code	Spec.
Width (B Dimension)	BC	Cuts B dimension. BC=1mm Increment Ordering Code BC195 ALN 26≤BC≤B-1 ALAT 126≤BC≤B-1 Applicable to ALA and ALAT only.
Corner Cut	CCA CCB CCC CCD	Cuts any corners. 1≤ Corner Cut ≤10: 1mm Increment Ordering Code (Ex.)When the corners of A and D are cut by C5, ...CCA5-CCD5

- Precision Standards**
- Flatness 0.4 or Less per 1000mm
 - T Dimension Tolerance

5	6	8, 10, 12	15	20	25	30
±0.04	±0.05	±0.08	±0.10	±0.12	±0.15	
 - A, B Dimension Tolerance

100~250	251~1000	1001~
±0.25	±0.4	±1.0
 - Perpendicularity of Datum Plane 0.015 or Less per 100mm
 - Circumference Chamfering C0.3 or Less