

# ! SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier				
Name of product	Contact VA 1401 Code-Nr. 120540			
<ul> <li>1.2. Relevant identified uses of the subs</li> <li>Recommended intended purpose(s)</li> <li>1-Component Cyanacrylat - Adhesives</li> </ul>	stance or mixture and uses advised against			
1.3. Details of the supplier of the safety	data sheet			
Distributor	WEICON GmbH & Co. KG Königsberger Str. 255, DE-48157 Münster Phone +49(0)251 / 9322 - 0, Fax +49(0)251 / 9322 - 244 E-Mail : msds@weicon.de Internet : www.weicon.de			
Advice	Produktsicherheit / Product-Safety-Department Phone +49(0)251 / 9322 - 0 E-mail (competent person): msds@weicon.de			
1.4. Emergency telephone number				
	EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel: ++44 1865 407333 (English) TRANSPORT EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel: ++44 1865 407333 (English)			
Manufacturer	WEICON GmbH & Co. KG Königsberger Str. 255, DE-48157 Münster			
1.4. Emergency telephone number				
	GIFTNOTRUF/TRANSPORTNOTRUF - Deutschland (24h): Tel: ++49 69 222 25285 (Deutsch, Englisch)			

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and F categories	Hazard Hazard Statements Classification procedure
Skin Irrit. 2	H315
Eye Irrit. 2	Н319
STOT SE 3	H335
Hazard Statements	
H315	Causes skin irritation.

11313	
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

# 2.2. Label elements



# Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



**Signal word** Warning

## **Hazard Statements**

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

# **Precautionary Statements**

P102	Keep out of reach of children.
P261 P264 P271 P280	Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
P302 + P352 P304 + P340 P305 + P351 + P338 P312 P332 + P313 P337 + P313 P362	<ul> <li>IF ON SKIN: Wash with plenty of soap and water.</li> <li>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>Call a POISON CENTER or doctor/physician if you feel unwell.</li> <li>If skin irritation occurs: Get medical advice/attention.</li> <li>If eye irritation persists: Get medical advice/attention.</li> <li>Take off contaminated clothing.</li> </ul>
P403 + P233 P405	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
P501	Dispose of contents/container to hazardous or special waste collection point.

# Special rules for supplemental label elements for certain mixtures

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

# 2.3. Other hazards

#### Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/ information on ingredients**

# 3.1. Substances

not applicable

# 3.2. Mixtures

## Description

One-component adhesive based on cyanoacrylate acid alkyl ester.

#### **Hazardous ingredients**

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
7085-85-0	230-391-5	ethyl 2-cyanoacrylate	60 - 99,9	Eye Irrit. 2, H319 / STOT SE 3, H335 / Skin Irrit. 2, H315



# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

Remove contaminated soaked clothing immediately. Take affected person into fresh air.

## In case of inhalation

Remove the casualty into fresh air and keep him immobile. In the event of symptoms refer for medical treatment.

#### In case of skin contact

In case of contact with skin wash off immediately with soap and water. Do not take off solidified product from skin. Refer for medical treatment.

#### In case of eye contact

After eye contact, rinse opened eye for 15 minutes under running water. Transfer to hospital for specialist examination.

In case of ingestion Call for a doctor immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Physician's information / possible symptoms Coughing Shortness of breath Respiratory complaints skin irritation

**4.3. Indication of any immediate medical attention and special treatment needed** No information available.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media Suitable extinguishing media Alcohol-resistant foam Dry powder Carbon dioxide

Unsuitable extinguishing media Full water jet

## 5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible. Nitrogen oxides (NOx) Carbon monoxide (CO) Carbon dioxide (CO2) Hydrogen cyanide (HCN)

## 5.3. Advice for firefighters

# Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done

with breathing apparatus. Do not inhale explosion and/or combustion gases.

## Additional information

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.



# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

# For non-emergency personnel

Ensure adequate ventilation.

Use personal protective clothing.

Use breathing apparatus if exposed to vapours/dust/aerosol.

## 6.2. Environmental precautions

Do not discharge into the drains or bodies of water..

## 6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust). Disposal according to regulations.

# 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13 Personal protection equipment: see section 8

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

# Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace. Open and handle container with care!

## **General protective measures**

Avoid contact with eyes and skin Do not inhale gases/vapours/aerosols.

## **Hygiene measures**

At work do not eat, drink and smoke. Wash soiled clothing immediately. Wash hands before breaks and after work.

# Advice on protection against fire and explosion

Pay attention to general rules of internal fire prevention.

## 7.2. Conditions for safe storage, including any incompatibilities

**Requirements for storage rooms and vessels** Keep in closed original container.

## Advice on storage compatibility

Do not store together with animal feedstuffs. Do not store together with food. Do not store together with oxidizing agents. Keep away from water.

# Further information on storage conditions

Keep container tightly closed and store at cool and aired place. Protect from heat and direct solar radiation.

## 7.3. Specific end use(s)

**Recommendation(s) for intended use** See section 1.2



# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

Ingredients with occupational exposure limits to be monitored

CAS No	Name	Code	[mg/m3]	[ppm]	Remark
7085-85-0	Ethyl cyanoacrylate	8 hours Short-term	1.5	0.3	EH40/2005

# Additional advice

The statutory local and national regulations have to be observed.

# 8.2. Exposure controls

# **Respiratory protection**

In case of insufficient ventilation or long-term effect use breathing apparatus.

#### Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]:: Nitrile rubber; 0,4mm; 480min;60min.

# Eye protection

tightly fitting goggles

#### Other protection measures protective clothing

# Appropriate engineering controls

Sufficient ventilation and exhaustion.

# **SECTION 9: Physical and chemical properties**

<b>Appearance</b> liquid		Colour colourless		Odour typical, pungent	
Odour threshold not determined					
Important health, safety	y and environmental	information			
	Value	Temperature	at	Method	Remark
pH value	not determined				
boiling point	> 100 °C	> 100 °C			
melting point	not determined	not determined			
Flash point	83 °C	83 °C			
Vapourisation rate	not determined				



Safety Data Sheet according to Regulation (EC)

 No. 1907/2006 (REACH)

 Printed
 12.04.2017

 revision
 03.08.2016 (GB) Version 8.7

 Contact VA 1401

	Value	Temperature	at	Method	Remark
Ignition temperature	not determined				
Self ignition temperature	not applicable				
Lower explosion limit	not applicable				
Upper explosion limit	not applicable				
Vapour pressure	ca. 0,6 mbar				
Relative density	1,1 g/cm3				
Vapour density	not determined				
Solubility in water					Reacts with water
Solubility/other			acetone		teilweise mischbar
Partition coefficient n- octanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity	ca. 95 mPa*s				
Oxidising properties no					
Explosive properties No information available.					
<b>9.2. Other information</b> No information available.					

# **SECTION 10: Stability and reactivity**

**10.1. Reactivity** No information available.

**10.2. Chemical stability** No information available.

# 10.3. Possibility of hazardous reactions

Reactions with oxidising agents. Explosive reaction with water Reactions with alcohols, amines, aqueous acids and alkalies.

# 10.4. Conditions to avoid

After contact with water: Keep away from heat. Risk of polymerisation.

# 10.5. Incompatible materials

Substances to avoid Alkali (lye) Alcohols Amines



Oxidising agent, strong Water

# 10.6. Hazardous decomposition products

Gases/vapours, toxic Hydrogen cyanide (hydrocyanic acid) Carbon monoxide and carbon dioxide. Nitrous oxides (NOx)

# Thermal decomposition

Remark No decomposition if used as directed.

# Additional information

Polymerization under development of heat.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

## Acute toxicity/Irritation/Sensitization

		One size		Demonster
	Value/Validation	Species	Method	Remark
LD50 acute oral	> 5000 mg/kg	rat	OECD 401	CAS: 7085-85-0
LD50 acute dermal	> 2000 mg/kg	rabbit	OECD 402	CAS: 7085-85-0
Skin irritation	irritant			
Eye irritation	irritant			
Skin sensitization	non-sensitizing			
Subacute Toxicity - C	arcinogenicity			
	Value	Species	Method	Validation
Chronic Toxicity				-
Mutagenicity				No experimental information on genotoxicity in vitro available.
Reproduction- Toxicity				No indications of toxic effects were observed in reproduction studies in animals.
Carcinogenicity				No indications of carcinogenic effects are available from long-term trials.
Specific target organ not applicable	toxicity (single exposure)			
Specific target organ not applicable	toxicity (repeated exposur	e)		

Aspiration hazard not determined



#### Experiences made from practice

Persons suffering from hypersensitivity showed sensitization. Irritates mucous membranes. Irritates eyes and skin.

# Additional information

The product is to be handled with the caution usual with chemicals. Other hazardous properties may not be excluded.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

No information available.

# 12.2. Persistence and degradability

	Elimination rate	Method of analysis	Method	Validation	
Biological		not applicable			

#### Biological degradability

# 12.3. Bioaccumulative potential

The product has not been tested. Because of the product's consistency and low solubility in water bioavailability is not likely.

# 12.4. Mobility in soil

not applicable

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Other adverse effects

# **General regulation**

No adverse ecological effects are known or expected to be a concern under normal use.

Do not allow uncontrolled leakage of product into the environment.

The ecotoxic effect of the product has not been tested. The information on this was derived from products of similar structure or composition.

# **SECTION 13: Disposal considerations**

13.1. Waste treatment methods	
Waste code No.	Name of waste
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous
	substances

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

## Recommendations for the product

Remove in accordance with local official regulations.

# **Recommendations for packaging**

Carefully polymerize content with water or alkali. Dispose of according to the local waste regulations.

#### **General information**

Assignment to a waste code number / waste identification according to the EWC is to be carried out on a sector or process-specific basis.



# **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	-	-	-
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
14.4. Packing group	-	-	-
14.5. Environmental hazards	-	-	-

# 14.6. Special precautions for user

No information available.

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

## Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC standard	
VOC content	ca.3 %
VOC value	27 g/L

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

## **Recommended uses and restrictions**

National and local regulations concerning chemicals shall be observed. For industrial use only.

## **Further information**

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product. Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EU-directives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 8.6

H315 Causes skin irritation.

- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.